

Seismic Hazard and Risk of South Africa



United Nations
Educational, Scientific and
Cultural Organization

Organisation
des Nations Unies
pour l'éducation,
la science et la culture

Organización
de las Naciones Unidas
para la Educación,
la Ciencia y la Cultura

Организация
Объединенных Наций по
вопросам образования,
науки и культуры

منظمة الأمم المتحدة
للتربية والعلم والثقافة

联合国教育、
科学及文化组织



African Union

Vunganai Midzi




Council for Geoscience

Regional Update of Seismo-tectonic Map in Africa: A key component of Seismic Hazard and Risk Assessment
International Conference on Impact of Natural Hazards in Africa, Cairo, Egypt, 23 – 27 October 2017


Introduction

As much as South Africa (& southern Africa) is considered to be located in a “Stable Continental Region”, earthquakes are recorded and located daily in the region.



Introduction: Significant Events

Severe earthquakes are occasionally felt.




Some of the most significant being:

- Koffiefontein, 1912
- St Lucia, 1932
- Ceres, 1969
- Welkom, 1976
- Stilfontein, 2005
- Orkney, 2014
- Machaze, 2006
- Botswana, 2017



1969 Ceres Earthquake




- 12
- Nu
br
- Da

ng to



2014 Orkney Earthquake

- Event
- 1 per
- obse
- Temp




Collapsed wall under which a man was killed

Mitigation of Hazard

To be prepared:

- Safe structures by designing according to seismic design guidelines
- Should be aware of protective actions.
- Understand sources and effects of earthquakes including carrying


out reliable



Mitigation: Seismic Monitoring


Main tool is the monitoring of seismic events within and also outside South Africa

- National network (includes access to data from other stations from outside SA & AfricaArray Stations – Bushveld Complex)
- Cluster networks (Concentrates on monitoring events in the Gold mining regions in Gauteng and North West Provinces)
 - Hope to start installing cluster network in the Platinum mining belt (80 stns)




SHA in SA


Fernández & du Plessis (1992)



Midzi et al. (1999)



SA Building Codes (Kijko 2003)



In addition to effective monitoring of earthquakes in the region, efforts have been made to conduct hazard assessments.


- Fernández and du Plessis (1992) map is the current official CGS national seismic hazard map.
- Apart from GSHAP map, other maps based on zone-less technique.
- GSHAP map excluded induced event (mines) sources.

SHA: Justification for New Map

- Hazard maps due for upgrade (Also need to be published)
- Methodology
 - PSHA with sources
 - Accounting for uncertainties using logic tree method
- Internationally recognised software
 - OpenQuake
- **Data**
 - Improved quality and quantity of data
 - Seismotectonic map – IGCP601




SHA: Seismotectonic map



- The regional Seismotectonic Map and associated database from the IGCP601 Project was crucial in preparation of sources.
- Data used to identify and delineate seismic source zones.
- Other data include:
 - Past studies (Bommer et al., 2014; Brandt, 2008; Singh et al., 2011; Hartnady, 1985; Geological studies)

Mitigation: Seismic Hazard Assessment




- Article on SHA of SA currently under review at JOSE
- About to complete microzonation studies of Johannesburg and North West Province main cities
- Recently started working on microzonation of KZN province main cities.


Mitigation: Seismic Risk Assessment

- Assessment of expected damage during specified time interval
- Only a few such studies have been carried out in South Africa, (e.g. Pule et al., 2015 for Sandton, Cape Town, Durban & Port Elizabeth as an MTech project; Kijko et al., 2002, 2003 for Tulbagh; Davies & Kijko, 2003, Kijko et al., 2017 mainly for the insurance industry in Johannesburg)

Building class # 3: Unreinforced Masonry, Bearing Wall, Low Rise (most vulnerable class)



Kijko et al. (2017) for Johannesburg



Pule et al. (2015) for Sandton (Johannesburg)

Mitigation: Seismic Risk Assessment

Important Input Data

- Complete Building classes for the country

Of the 12 types of buildings identified mostly the following three types are found in major SA cities (They represent about 70% of all South African urban structures):



Class #3 - unreinforced masonry, with load bearing wall, low rise.

Class #8 - reinforced concrete shear wall, without moment resisting frame, medium rise



Class #9 - reinforced concrete shear, wall without moment resisting frame, high rise




So far risk assessed only for these three building types.

Seismic Risk Assessment

Important input data

- Damage curves
 - No damage curves which specifically adhere to local South African conditions.
 - Selected and used damage curves currently available in the world



Conclusion: Possible Impact of SEISMOSHAF

- It is clear from the work that has been done in our region that there is plenty of room to improve both hazard and risk assessments to effectively mitigate impact of earthquakes.
- More detailed investigations of active faults envisaged under SEISMOSHAF will help in improving seismic source models (faults used as input in SHA instead of just area sources) – PhD candidate
- GMPEs derived specifically for our regions
- Site effect studies to help produce more realistic results
- Development of damage curves which specifically adhere to local conditions – PhD candidate
- Compilation of full information on building classes in our region and available information on damage to infrastructure.



THANK YOU

